





\*The Above sketches are only indicative, actual products may vary.

Door Type	Wooden Fire Rated Door
Criteria	3 Criteria : Fully Insulated
Rating	60 mins
Shutter Thickness	52mm
Testing Standards	BS 476 Part 20 - 22, IS 3614 Part 2
Test Laboratory	CBRI Roorkee, India

# **CONSTRUCTION DETAILS**

## **Detail Description**

- 1 Frame Manufactured out of Hardwood Mirandi / Teakwood of nominal section 120mm x 70mm
- 2 Hardwood Internal Timber Framework
- 3 Calcium Silicate Board
- Shutter infill insulation Wool insulation infill treated with VIPER FRS 881 LH
- 5 Intumescent Seal Size 10mm x 4mm 2 Nos for frame
- 6 Intumescent Seal Size 20mm x 4mm 1 No for door shutter
- 7 Both side 3mm Commercial Ply

### **Recommended Finishes**

#### 1 Frame

- 1.1 Hardwood: VIPER Fire Retardant Primer FR 880 with VIPER Finishing Paint FRS 881
- 1.2 Teakwood: VIPER Fire Retardant Clear Polish FR881 Clear

### 2 Door Shutter

- 2.1 Painting with VIPER Fire Retardant Primer FR 880 with VIPER Finishing Paint FRS 881 Both Sides
- 2.2 One Side Laminate / Veneer and One Side Painting with VIPER Fire Retardant Primer FR 880 with VIPER Finishing Paint FRS 881
- 2.3 Both Sides Laminate / Veneer







